

Triplet	Treatment	Source of location data	Region	Type of breakdown	Time period	Incidence	Baseline herds	Historic incidence (3 year)	Historic incidence (1 year)
A	Proactive	VETNET	Whole trial area	Confirmed	From initial cull	37	71	33	8
A	Survey-only	VETNET	Whole trial area	Confirmed	From initial cull	52	86	32	7
B	Proactive	VETNET	Whole trial area	Confirmed	From initial cull	87	152	42	15
B	Survey-only	VETNET	Whole trial area	Confirmed	From initial cull	61	132	27	5
C	Proactive	VETNET	Whole trial area	Confirmed	From initial cull	29	105	15	8
C	Survey-only	VETNET	Whole trial area	Confirmed	From initial cull	84	174	27	14
D	Proactive	VETNET	Whole trial area	Confirmed	From initial cull	36	97	28	11
D	Survey-only	VETNET	Whole trial area	Confirmed	From initial cull	40	106	30	8
E	Proactive	VETNET	Whole trial area	Confirmed	From initial cull	36	116	26	4
E	Survey-only	VETNET	Whole trial area	Confirmed	From initial cull	56	97	28	14
F	Proactive	VETNET	Whole trial area	Confirmed	From initial cull	15	138	12	4
F	Survey-only	VETNET	Whole trial area	Confirmed	From initial cull	61	191	35	11
G	Proactive	VETNET	Whole trial area	Confirmed	From initial cull	72	245	26	7
G	Survey-only	VETNET	Whole trial area	Confirmed	From initial cull	40	131	16	4
H	Proactive	VETNET	Whole trial area	Confirmed	From initial cull	31	63	23	11
H	Survey-only	VETNET	Whole trial area	Confirmed	From initial cull	27	130	22	7
I	Proactive	VETNET	Whole trial area	Confirmed	From initial cull	27	100	29	15
I	Survey-only	VETNET	Whole trial area	Confirmed	From initial cull	21	98	19	6
J	Proactive	VETNET	Whole trial area	Confirmed	From initial cull	34	114	25	8
J	Survey-only	VETNET	Whole trial area	Confirmed	From initial cull	36	123	18	10

Triplet	Treatment	Source of location data	Region	Type of breakdown	Time period	Incidence	Baseline herds	Historic incidence (3 year)	Historic incidence (1 year)
A	Proactive	VETNET	Inner trial area	Confirmed	From initial cull	13	24	7	1
A	Survey-only	VETNET	Inner trial area	Confirmed	From initial cull	22	27	11	2
B	Proactive	VETNET	Inner trial area	Confirmed	From initial cull	19	39	13	4
B	Survey-only	VETNET	Inner trial area	Confirmed	From initial cull	3	13	4	1
C	Proactive	VETNET	Inner trial area	Confirmed	From initial cull	4	36	3	3
C	Survey-only	VETNET	Inner trial area	Confirmed	From initial cull	20	43	4	2
D	Proactive	VETNET	Inner trial area	Confirmed	From initial cull	14	39	11	3
D	Survey-only	VETNET	Inner trial area	Confirmed	From initial cull	14	34	16	4
E	Proactive	VETNET	Inner trial area	Confirmed	From initial cull	13	27	9	1
E	Survey-only	VETNET	Inner trial area	Confirmed	From initial cull	13	18	4	3
F	Proactive	VETNET	Inner trial area	Confirmed	From initial cull	3	27	1	0
F	Survey-only	VETNET	Inner trial area	Confirmed	From initial cull	16	62	9	3
G	Proactive	VETNET	Inner trial area	Confirmed	From initial cull	10	75	12	2
G	Survey-only	VETNET	Inner trial area	Confirmed	From initial cull	13	36	7	3
H	Proactive	VETNET	Inner trial area	Confirmed	From initial cull	10	12	8	2
H	Survey-only	VETNET	Inner trial area	Confirmed	From initial cull	8	28	5	1
I	Proactive	VETNET	Inner trial area	Confirmed	From initial cull	10	33	8	5
I	Survey-only	VETNET	Inner trial area	Confirmed	From initial cull	6	28	3	0
J	Proactive	VETNET	Inner trial area	Confirmed	From initial cull	11	27	8	2
J	Survey-only	VETNET	Inner trial area	Confirmed	From initial cull	17	45	14	7

Triplet	Treatment	Source of location data	Region	Type of breakdown	Time period	Incidence	Baseline herds	Historic incidence (3 year)	Historic incidence (1 year)
A	Proactive	VETNET	Outer trial area	Confirmed	From initial cull	24	47	26	7
A	Survey-only	VETNET	Outer trial area	Confirmed	From initial cull	30	59	21	5
B	Proactive	VETNET	Outer trial area	Confirmed	From initial cull	68	113	29	11
B	Survey-only	VETNET	Outer trial area	Confirmed	From initial cull	58	119	23	4
C	Proactive	VETNET	Outer trial area	Confirmed	From initial cull	25	69	12	5
C	Survey-only	VETNET	Outer trial area	Confirmed	From initial cull	64	131	23	12
D	Proactive	VETNET	Outer trial area	Confirmed	From initial cull	22	58	17	8
D	Survey-only	VETNET	Outer trial area	Confirmed	From initial cull	26	72	14	4
E	Proactive	VETNET	Outer trial area	Confirmed	From initial cull	23	89	17	3
E	Survey-only	VETNET	Outer trial area	Confirmed	From initial cull	43	79	24	11
F	Proactive	VETNET	Outer trial area	Confirmed	From initial cull	12	111	11	4
F	Survey-only	VETNET	Outer trial area	Confirmed	From initial cull	45	129	26	8
G	Proactive	VETNET	Outer trial area	Confirmed	From initial cull	62	170	14	5
G	Survey-only	VETNET	Outer trial area	Confirmed	From initial cull	27	95	9	1
H	Proactive	VETNET	Outer trial area	Confirmed	From initial cull	21	51	15	9
H	Survey-only	VETNET	Outer trial area	Confirmed	From initial cull	19	102	17	6
I	Proactive	VETNET	Outer trial area	Confirmed	From initial cull	17	67	21	10
I	Survey-only	VETNET	Outer trial area	Confirmed	From initial cull	15	70	16	6
J	Proactive	VETNET	Outer trial area	Confirmed	From initial cull	23	87	17	6
J	Survey-only	VETNET	Outer trial area	Confirmed	From initial cull	19	78	4	3

Triplet	Treatment	Source of location data	Region	Type of breakdown	Time period	Incidence	Baseline herds	Historic incidence (3 year)	Historic incidence (1 year)
A	Proactive	VETNET	Neighbouring area	Confirmed	From initial cull	24	60	24	8
A	Survey-only	VETNET	Neighbouring area	Confirmed	From initial cull	20	68	19	8
B	Proactive	VETNET	Neighbouring area	Confirmed	From initial cull	65	154	16	7
B	Survey-only	VETNET	Neighbouring area	Confirmed	From initial cull	44	68	15	6
C	Proactive	VETNET	Neighbouring area	Confirmed	From initial cull	35	117	10	5
C	Survey-only	VETNET	Neighbouring area	Confirmed	From initial cull	37	121	14	7
D	Proactive	VETNET	Neighbouring area	Confirmed	From initial cull	17	47	5	2
D	Survey-only	VETNET	Neighbouring area	Confirmed	From initial cull	15	57	19	6
E	Proactive	VETNET	Neighbouring area	Confirmed	From initial cull	26	94	11	5
E	Survey-only	VETNET	Neighbouring area	Confirmed	From initial cull	31	72	16	7
F	Proactive	VETNET	Neighbouring area	Confirmed	From initial cull	13	61	1	1
F	Survey-only	VETNET	Neighbouring area	Confirmed	From initial cull	32	127	20	9
G	Proactive	VETNET	Neighbouring area	Confirmed	From initial cull	30	154	4	2
G	Survey-only	VETNET	Neighbouring area	Confirmed	From initial cull	29	129	15	3
H	Proactive	VETNET	Neighbouring area	Confirmed	From initial cull	46	73	16	10
H	Survey-only	VETNET	Neighbouring area	Confirmed	From initial cull	27	94	14	7
I	Proactive	VETNET	Neighbouring area	Confirmed	From initial cull	19	70	11	7
I	Survey-only	VETNET	Neighbouring area	Confirmed	From initial cull	9	60	14	9
J	Proactive	VETNET	Neighbouring area	Confirmed	From initial cull	32	123	19	4
J	Survey-only	VETNET	Neighbouring area	Confirmed	From initial cull	19	102	5	4

Triplet	Treatment	Source of location data	Region	Type of breakdown	Time period	Incidence	Baseline herds	Historic incidence (3 year)	Historic incidence (1 year)
A	Proactive	VETNET	Whole trial area	All breakdowns	From initial cull	52	71	38	10
A	Survey-only	VETNET	Whole trial area	All breakdowns	From initial cull	73	86	45	13
B	Proactive	VETNET	Whole trial area	All breakdowns	From initial cull	110	152	61	21
B	Survey-only	VETNET	Whole trial area	All breakdowns	From initial cull	81	132	34	8
C	Proactive	VETNET	Whole trial area	All breakdowns	From initial cull	40	105	21	12
C	Survey-only	VETNET	Whole trial area	All breakdowns	From initial cull	120	174	41	19
D	Proactive	VETNET	Whole trial area	All breakdowns	From initial cull	47	97	36	13
D	Survey-only	VETNET	Whole trial area	All breakdowns	From initial cull	51	106	40	11
E	Proactive	VETNET	Whole trial area	All breakdowns	From initial cull	68	116	33	8
E	Survey-only	VETNET	Whole trial area	All breakdowns	From initial cull	74	97	35	16
F	Proactive	VETNET	Whole trial area	All breakdowns	From initial cull	37	138	18	5
F	Survey-only	VETNET	Whole trial area	All breakdowns	From initial cull	91	191	55	16
G	Proactive	VETNET	Whole trial area	All breakdowns	From initial cull	99	245	41	12
G	Survey-only	VETNET	Whole trial area	All breakdowns	From initial cull	48	131	34	12
H	Proactive	VETNET	Whole trial area	All breakdowns	From initial cull	44	63	26	13
H	Survey-only	VETNET	Whole trial area	All breakdowns	From initial cull	47	130	30	10
I	Proactive	VETNET	Whole trial area	All breakdowns	From initial cull	39	100	38	16
I	Survey-only	VETNET	Whole trial area	All breakdowns	From initial cull	46	98	28	8
J	Proactive	VETNET	Whole trial area	All breakdowns	From initial cull	54	114	38	11
J	Survey-only	VETNET	Whole trial area	All breakdowns	From initial cull	61	123	27	16

Triplet	Treatment	Source of location data	Region	Type of breakdown	Time period	Incidence	Baseline herds	Historic incidence (3 year)	Historic incidence (1 year)
A	Proactive	VETNET	Inner trial area	All breakdowns	From initial cull	15	24	9	2
A	Survey-only	VETNET	Inner trial area	All breakdowns	From initial cull	33	27	16	4
B	Proactive	VETNET	Inner trial area	All breakdowns	From initial cull	23	39	15	5
B	Survey-only	VETNET	Inner trial area	All breakdowns	From initial cull	8	13	5	2
C	Proactive	VETNET	Inner trial area	All breakdowns	From initial cull	5	36	5	5
C	Survey-only	VETNET	Inner trial area	All breakdowns	From initial cull	31	43	8	4
D	Proactive	VETNET	Inner trial area	All breakdowns	From initial cull	18	39	14	4
D	Survey-only	VETNET	Inner trial area	All breakdowns	From initial cull	20	34	21	6
E	Proactive	VETNET	Inner trial area	All breakdowns	From initial cull	20	27	11	2
E	Survey-only	VETNET	Inner trial area	All breakdowns	From initial cull	15	18	4	3
F	Proactive	VETNET	Inner trial area	All breakdowns	From initial cull	5	27	2	0
F	Survey-only	VETNET	Inner trial area	All breakdowns	From initial cull	23	62	13	3
G	Proactive	VETNET	Inner trial area	All breakdowns	From initial cull	23	75	16	4
G	Survey-only	VETNET	Inner trial area	All breakdowns	From initial cull	17	36	9	5
H	Proactive	VETNET	Inner trial area	All breakdowns	From initial cull	15	12	8	2
H	Survey-only	VETNET	Inner trial area	All breakdowns	From initial cull	9	28	9	3
I	Proactive	VETNET	Inner trial area	All breakdowns	From initial cull	16	33	10	6
I	Survey-only	VETNET	Inner trial area	All breakdowns	From initial cull	12	28	5	1
J	Proactive	VETNET	Inner trial area	All breakdowns	From initial cull	14	27	11	3
J	Survey-only	VETNET	Inner trial area	All breakdowns	From initial cull	26	45	18	11

Triplet	Treatment	Source of location data	Region	Type of breakdown	Time period	Incidence	Baseline herds	Historic incidence (3 year)	Historic incidence (1 year)
A	Proactive	VETNET	Outer trial area	All breakdowns	From initial cull	37	47	29	8
A	Survey-only	VETNET	Outer trial area	All breakdowns	From initial cull	40	59	29	9
B	Proactive	VETNET	Outer trial area	All breakdowns	From initial cull	87	113	46	16
B	Survey-only	VETNET	Outer trial area	All breakdowns	From initial cull	73	119	29	6
C	Proactive	VETNET	Outer trial area	All breakdowns	From initial cull	35	69	16	7
C	Survey-only	VETNET	Outer trial area	All breakdowns	From initial cull	89	131	33	15
D	Proactive	VETNET	Outer trial area	All breakdowns	From initial cull	29	58	22	9
D	Survey-only	VETNET	Outer trial area	All breakdowns	From initial cull	31	72	19	5
E	Proactive	VETNET	Outer trial area	All breakdowns	From initial cull	48	89	22	6
E	Survey-only	VETNET	Outer trial area	All breakdowns	From initial cull	59	79	31	13
F	Proactive	VETNET	Outer trial area	All breakdowns	From initial cull	32	111	16	5
F	Survey-only	VETNET	Outer trial area	All breakdowns	From initial cull	68	129	42	13
G	Proactive	VETNET	Outer trial area	All breakdowns	From initial cull	76	170	25	8
G	Survey-only	VETNET	Outer trial area	All breakdowns	From initial cull	31	95	25	7
H	Proactive	VETNET	Outer trial area	All breakdowns	From initial cull	29	51	18	11
H	Survey-only	VETNET	Outer trial area	All breakdowns	From initial cull	38	102	21	7
I	Proactive	VETNET	Outer trial area	All breakdowns	From initial cull	23	67	28	10
I	Survey-only	VETNET	Outer trial area	All breakdowns	From initial cull	34	70	23	7
J	Proactive	VETNET	Outer trial area	All breakdowns	From initial cull	40	87	27	8
J	Survey-only	VETNET	Outer trial area	All breakdowns	From initial cull	35	78	9	5

Triplet	Treatment	Source of location data	Region	Type of breakdown	Time period	Incidence	Baseline herds	Historic incidence (3 year)	Historic incidence (1 year)
A	Proactive	VETNET	Neighbouring area	All breakdowns	From initial cull	30	60	30	8
A	Survey-only	VETNET	Neighbouring area	All breakdowns	From initial cull	30	68	26	11
B	Proactive	VETNET	Neighbouring area	All breakdowns	From initial cull	95	154	24	10
B	Survey-only	VETNET	Neighbouring area	All breakdowns	From initial cull	61	68	23	8
C	Proactive	VETNET	Neighbouring area	All breakdowns	From initial cull	57	117	16	6
C	Survey-only	VETNET	Neighbouring area	All breakdowns	From initial cull	64	121	18	8
D	Proactive	VETNET	Neighbouring area	All breakdowns	From initial cull	21	47	7	2
D	Survey-only	VETNET	Neighbouring area	All breakdowns	From initial cull	18	57	22	7
E	Proactive	VETNET	Neighbouring area	All breakdowns	From initial cull	45	94	17	5
E	Survey-only	VETNET	Neighbouring area	All breakdowns	From initial cull	44	72	20	9
F	Proactive	VETNET	Neighbouring area	All breakdowns	From initial cull	15	61	3	1
F	Survey-only	VETNET	Neighbouring area	All breakdowns	From initial cull	52	127	24	13
G	Proactive	VETNET	Neighbouring area	All breakdowns	From initial cull	40	154	7	2
G	Survey-only	VETNET	Neighbouring area	All breakdowns	From initial cull	35	129	17	3
H	Proactive	VETNET	Neighbouring area	All breakdowns	From initial cull	58	73	20	12
H	Survey-only	VETNET	Neighbouring area	All breakdowns	From initial cull	41	94	20	8
I	Proactive	VETNET	Neighbouring area	All breakdowns	From initial cull	24	70	20	11
I	Survey-only	VETNET	Neighbouring area	All breakdowns	From initial cull	15	60	18	11
J	Proactive	VETNET	Neighbouring area	All breakdowns	From initial cull	48	123	31	8
J	Survey-only	VETNET	Neighbouring area	All breakdowns	From initial cull	33	102	14	8